



# APV

ADVANCED P-VALVE



# O'THREE'S APV ADVANCED P-VALVE

Although bursting with features, this valve remains neat and compact, both internally and externally, which we know is a big advantage over others.

This Advanced P-Valve is balanced and unlike our original P-Valve is female friendly when used in conjunction with the "Sheewee".

In recent years, research and improvements in the understanding of decompression sickness has only added to the growing mountain of evidence that it is imperative we remain hydrated before and during long dives. O'Three's Advanced P-Valve will give all users the reassurance and peace of mind that the consequences of a lack of hydration during a dive should no longer be an issue.

## APV INCLUDES

1. Field servicable design
2. Life Time Warranty
3. Valve Spares

## APV DESIGN FEATURES

1. NONE RETURN VALVE
2. SAFETY LOCK
3. EASY GRIP VENTED DOME, WITH MANUAL OVERRIDE

6. 3X ANTI TWIST, ANTI KINK SHEATHS
7. SURGICAL QUALITY SNAP-CONNECTOR
8. FLEXIBLE, ANTI-KINK AND INCREASED BORE WIDTH HOSE

4. REDUCED INTERNAL PROFILE
5. BALANCED

## GENERAL ADVICE

The sizing and fitting of the sheath is key. Come on guys, we all like to think things are a little larger, when in reality after a long spell in cold water "diver" willy sets in, rather than "poser" willy. Correct sheath sizing, may take one or two attempts.

Another top tip, do not leave it to the last minute to fit your sheath, apply in plenty of time before you set off for the days diving and then simply connect up, before you zip up.

OTHER USEFUL TIPS FROM CUSTOMERS OVER THE YEARS:

1. SHAVE ANY EXCESS HAIR... YOU KNOW WHERE.
2. USE SURGICAL WIPES BEFORE SHEATH APPLICATION AND AFTER SHEATH REMOVAL
3. DO NOT LEAVE IT TO THE LAST MINUTE BEFORE YOU 'P', TRY TO REGULATE THE FLOW.
4. FLUSH THROUGH AFTER USE.



## ATTACHMENT OPTIONS

O'Three recommends the following male and female adaptors:

### Male **Conveen Optima Sheath**

[www.coloplast.co.uk](http://www.coloplast.co.uk)

Replacement sheaths are also available from O'Three.



### Female **The Sheewee Go**

Custom Divers have successfully adapted this device for female divers. For more information please go to [www.customdivers.com](http://www.customdivers.com)



## O'THREE'S ORIGINAL P-VALVE

O'Three's original P-Valve, now in its 20th year is the only P-Valve of its type that has been NATO tested and approved. We will continue to supply this simple balanced valve.



"Long dive times, long deco with hydration, no problem with the APV"

## IMPORTANT INFORMATION

All high end P-Valves will leak and could create hygiene issues if you do not carry out regular and careful maintenance.

If an APV begins to leak, most leaking issues occur because of an object interfering with the face of the mushroom valve (we'll leave that to you're imagination).

Usually a flush through with water or a mild detergent will clear this object. Occasionally you will have to remove the Vented Dome where access to the mushroom valve will be easy. Your lifetime warranty does not cover your lack of maintenance. This maintenance is not difficult and should be carried out after each days diving. If an APV is found to be leaking due to lack of maintenance we will have to charge you accordingly.



**Stop!**  
Take Care

**Flush with fresh water after every use.**  
Occasionally replace fresh water with a very mild detergent such as diluted Milton, Detol, or similar.



The P-Valve will give you many years of trouble free service, however, if you do not ensure that the valve is kept clean and free from the build up of sand, grit, salt, or other debris it will leak.

## TERMS AND CONDITIONS

- The life time warranty applies only to the original purchaser and is not transferable to any other party. Original receipt required.
- The life time warranty does not cover the consumables, ie; the snap connector, anti kink hose or sheaths.
- The life time warranty does not cover postage for any replacement.
- O'Three Ltd reserve the right to reject any claim which is thought to have occurred due to lack of care and abnormal use.